

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	195	(retriev\$3 with identifier\$1 with director\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/16 07:12
L2	0	(retriev\$3 with identifier\$1 with director\$3) same (add\$3 with array)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/16 07:13
L3	0	(retriev\$3 with identifier\$1 with director\$3) same (add\$3 with (array or chain\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/16 07:14
L4	31	((retriev\$3 or collect\$3 or garther\$3) with (file near2 (identifier\$1 or director\$3))) same (array\$1 or chain\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/16 10:24
L5	0	((generat\$3 or construct\$3) with director\$3) same (file near2 identifer\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/16 07:28
L6	0	((generat\$3 or construct\$3) with (file near2 director\$3)) same (retriev\$3 with (file near2 identifier\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/16 07:29
L7	0	((conver\$6 or translat\$3) with (file near2 name\$1) with (identifier\$1 or id or number\$1)) same ((construct\$3 or generat\$3) with file\$1 with (chain\$1 or array\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/16 07:32
L8	1379	((construct\$3 or generat\$3) with file\$1 with (chain\$1 or array\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/16 07:35
L9	5	8 and (retriev\$3 with (file near2 identifier\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/16 07:32
L10	62	((construct\$3 or generat\$3) with file\$1 with (chain\$1 or array\$1)) same identifier\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/16 07:46

L11	1	(cach\$3 with chain with (file near2 identifier\$1)) same retriev\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/16 07:47
L12	1	(cach\$3 with chain with (file near2 (identifier\$1 or id or number\$1))) same retriev\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/16 07:47
L13	2	(cach\$3 with chain with (file near2 (identifier\$1 or id or number\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/16 07:47
L14	9	(cach\$3 with (chain\$1 or array\$1) with (file near2 (identifier\$1 or id or number\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/16 07:53
L15	1	(cach\$3 with (chain\$1 or array\$1) with (file near2 (identifier\$1 or id or number\$1))) same (retriev\$3 or collect\$3 or gather\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/16 07:54
L16	6	(cach\$3 or collect\$3 or garther\$3) same (file near2 identifier\$1) same (chain\$1 or array\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/16 08:03
L17	6	(cach\$3 or collect\$3 or garther\$3 or index\$3) same (file near2 identifier\$1) same (chain\$1 or array\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/16 08:03
L18	57	(cach\$3 or collect\$3 or garther\$3 or index\$3) same (file near2 identifier\$1) same (chain\$1 or array\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/16 08:04
L19	2	18 and (retriev\$3 with (file near2 system near2 identifier\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/16 08:04
L20	8	18 and (retriev\$3 with (file near2 identifier\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/16 08:14

L21	2	(add\$3 with (file near2 identifier\$1) with (chain\$1 or array\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/16 08:16
L22	2	((retriev\$3 or collect\$3 or garther\$3) with (file near2 identifier\$1)) same (cach\$3 with (chain\$1 or array\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/16 08:17
L23	362	((retriev\$3 or collect\$3 or garther\$3) with (file near2 identifier\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/16 08:17
L24	5	23 and ((construct\$3 or generat\$3) with file with (chain\$1 or array\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/16 08:20
L25	159	((process\$3 or retriev\$3) with (file\$1 near2 identifier\$1)) same (file near2 system\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/16 08:21
L26	12	((process\$3 or retriev\$3) with (file\$1 near2 identifier\$1)) same (file near2 system\$1) same cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/16 08:22
L27	12	((process\$3 or retriev\$3) with (file\$1 near2 identifier\$1)) same (file near2 (director\$3 or system\$1)) same cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/16 08:25
L28	5	(construct\$3 or generat\$3) with (file near2 identifier\$1) with cach\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/16 08:33
L29	788	(construct\$3 or generat\$3) with (file with chain\$1 or array\$1) with cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/16 08:33
L30	4	(construct\$3 or generat\$3) with file with (chain\$1 or array\$1) with cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/16 08:33

L31	26	(cach\$3 with file\$1 with chain\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/16 09:45
L32	1	(cach\$3 with file\$1 with chain\$1) same (retriev\$3 with (file near2 identifier\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/16 09:19
L33	1	(retriev\$3 with (file near2 (name\$1 or id or identifier\$1))) same (cach\$3 with chain\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/16 09:46
L34	4	((retriev\$3 or process\$3 or garther\$3 or collect\$3) with (file near2 (name\$1 or id or identifier\$1))) same (cach\$3 with chain\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/16 09:46
L35	657	((retriev\$3 or process\$3 or garther\$3 or collect\$3) with (file near2 (name\$1 or id or identifier\$1))) same (cach\$3 or (index\$3 or chain\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/16 09:47
L36	19	((retriev\$3 or process\$3 or garther\$3 or collect\$3) with (file near2 (name\$1 or id or identifier\$1))) same (cach\$3 with (index\$3 or chain\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/16 09:47
L37	7	((collect\$3 or cach\$3) with (file near2 identifier\$1)) same ((process\$3 or retriev\$3) with (file near2 (director\$3 or system\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/16 10:27
L38	4	(cach\$3 with (file near2 identifier\$1)) same ((collect\$3 or process\$3 or retriev\$3) with (file near2 (director\$3 or system\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/16 10:28
L39	92	((cach\$3 or index\$3 or stor\$3) with (file near2 identifier\$1)) same ((collect\$3 or process\$3 or retriev\$3) with (file near2 (director\$3 or system\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/16 10:32
L40	48	39 and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/16 10:28

L41	531	((cach\$3 or index\$3 or stor\$3) with (file near2 (identifier\$1 or id or name\$1))) same ((collect\$3 or process\$3 or retriev\$3) with (file near2 (director\$3 or system\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/16 10:34
L42	0	41 and (add\$3 with (file near2 identifier\$1) with (chain\$1 or array\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/16 10:34
L43	323	((cach\$3 or index\$3 or stor\$3) with (file near2 (identifier\$1 or id or name\$1))) with ((collect\$3 or process\$3 or retriev\$3) with (file near2 (director\$3 or system\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/16 10:40
L44	104	43 and "707"/\$.cccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/16 10:35
L45	53	((cach\$3 or index\$3 or (temporary near2 storage)) with (file near2 (identifier\$1 or id or name\$1))) with ((collect\$3 or process\$3 or retriev\$3) with (file near2 (director\$3 or system\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/16 10:41
L46	17	45 and "707"/\$.cccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/16 10:46
L47	0	((extract\$3 or retriev\$3) with (file near2 identifier\$1)) same (add\$3 with (file near2 identifier\$1) with (array\$1 or chain\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/16 10:48
L48	0	((extract\$3 or retriev\$3) with file\$1) same (add\$3 with (file near2 identifier\$1) with (array\$1 or chain\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/16 10:49
L49	165	(cach\$3 near2 (file near2 (identifier\$1 or name\$1 or id)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/16 10:50
L50	46	49 and "707"/\$.cccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/16 10:50

L51	0	(cach\$3 near2 (file near2 (identifier\$1 or name\$1 or id\$1))) same (add\$3 with (chain\$1 or array))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/16 10:51
L52	5	(cach\$3 near2 (file near2 (identifier\$1 or name\$1 or id\$1))) same (chain\$1 or array\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/16 10:51
L53	0	(retriev\$3 with (file near2 director\$3)) same (cach\$3 with (file near2 identifier\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/16 10:56
L54	0	(retriev\$3 with file\$1 with director\$3) same (cach\$3 with (file near2 identifier\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/16 10:56
L55	0	(retriev\$3 with file\$1) same director\$3 same (cach\$3 with (file near2 identifier\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/16 10:56
L56	9	(retriev\$3 with file\$1) same director\$3 same (cach\$3 with (file near2 identifier\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/16 10:57
L57	4	(retriev\$3 with file\$1) same director\$3 same (cach\$3 with index\$3 with file\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/16 13:23
L58	37466	(access\$3 same (password\$1 or log-in or (access near2 (right or privilege\$1))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/16 13:24
L59	7	45 and 58	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/16 13:24